

MATERIAL SAFETY DATA SHEET – RESIN ABC AND PITFILL
VALID UNTIL April 2, 2019

Product Identification <ul style="list-style-type: none"> Trade Name: Chemical Name: 	RESIN ABC AND PITFILL Modified Aliphataic Acrulated Urethan CAS# 79 -10 - 7
Physical Data <ul style="list-style-type: none"> Appearance & Odor: Solubility in water: Boiling point: Specific gravity: 	Clear liquid, very slight odor Nil 100 Degrees Centigrade < 1
Fire Protection <ul style="list-style-type: none"> Flash Point: Extinguishing Media: 	Over 200 Degrees Centigrade Carbon Dioxide, dry chemicals, foam
Health Hazard Data <ul style="list-style-type: none"> Threshold limit value: Effects of overexposure: First Aid & Emergency: 	Not established May cause skin irritation, contact with eyes causes irritation. For eyes- flush with water For skin- wash with soap and water Inhalation- remove to fresh air Ingestion- obtain medical attention
Reactivity Data <ul style="list-style-type: none"> Stability: Materials to avoid: Hazardous Polymerization: 	Stable Oxidizing agents, excessive heat Will not occur
Spill or Leak Procedure	Absorb with inert materials and dispose. Flush area with water.
Special protection information <ul style="list-style-type: none"> Ventilation: Protection: 	Positive fresh air exhaust Use protective gloves & safety eye glasses. Do not wear contact lenses.

MATERIAL SAFETY DATA SHEET – ULTRA THIN
VALID UNTIL April 2, 2019

Product Identification <ul style="list-style-type: none"> Trade Name: Chemical Name: 	ULTRA THIN Modified Acrylic Ester
Hazardous Ingredients <ul style="list-style-type: none"> % by weight Max. Exposure (8 hr time-wtd avg.) Cas# 	<1 10 ppm ACGIH TLV 79-10-7
Physical Data <ul style="list-style-type: none"> Appearance & Odor: Solubility in water: Boiling point: Specific gravity: 	Clear liquid, mild odor Miscible 450 Degrees F @ 9mm/Hg 1.07
Fire Protection <ul style="list-style-type: none"> Flash Point: Extinguishing Media: 	Over 200 Degrees F (TCC) Carbon Dioxide, dry chemicals, foam
Health Hazard Data <ul style="list-style-type: none"> Threshold limit value: Effects of overexposure: First Aid & Emergency: 	Not established May cause skin irritation, contact with eyes may cause irritation. For eyes- flush with water For skin- wash with soap and water Inhalation- remove to fresh air Ingestion- low toxicity, obtain medical attention
Reactivity Data <ul style="list-style-type: none"> Stability: Materials to avoid: Hazardous Polymerization: 	Stable Oxidizing agents, excessive heat Will not occur
Spill or Leak Procedure	Flush with chlorinated solvents, recommended due to non-flammability. Remove with solid waste disposal method.
Special protection information <ul style="list-style-type: none"> Ventilation: Protection: 	Positive fresh air exhaust Use protective gloves & safety eye glasses. Do not wear contact lenses.